No. 1027/Purchase Office/Computer Centre/Layer 2 Access Switch 24 Ports/2014 08/08/2014

Telephone : 91-532-227+1122, 1123 Fax : 0532-2545341, 2545822

GRAM : MNNIT

Email

Website : http:\\www.mnnit.ac.in

: spo@mnnit.ac.in, fip@mnnit.ac.in



मोतीलाल नेहरू राष्ट्रीय प्रौद्योगिकी संस्थान इलाहाबाद,

इलाहाबाद—211004 (भारत)

Motilal Nehru National Institute of Technology Allahabad

Allahabad-211004 (India)

An Institute of National Importance as Declared by NIT Act, GOI, 2007

INVITATION FOR SUPPLY, FIXING & INSTALLTION OF LAYER 2 ACCESS SWITCH 24 PORTS WITH 3 YEARS COMPRHENSIVE WARRENTY

(For Contracts value estimated to cost less than Rs.25lakhs)

| | (1 of Contracts value estimated to cost less than Ns.25iakiis) | | | | | |
|---|--|--|--|--|--|--|
| 1 | Closing Date/Time for submission of Quotations | 02/09/2014; 16:00 Hrs. | | | | |
| 2 | Opening Date/Time of Quotations | 02/09/2014; 16:30 Hrs. | | | | |
| 3 Quotations to be submitted at The Office of Faculty-In-charge (Purcha | | The Office of Faculty-In-charge (Purchase) | | | | |
| | | M.N.N.I.T. Allahabad, Allahabad-211 004 (U.P.) | | | | |
| 4 | Place of opening of quotations | The Office of Faculty-In-charge (Purchase) | | | | |
| | | M.N.N.I.T. Allahabad, Allahabad-211 004 (U.P.) | | | | |
| 5 Tender Fee Rs. 200.00 (Non-refundable), in form of | | Rs. 200.00 (Non-refundable), in form of a Demand | | | | |
| Draft drawn in favor of DIRECTOR | | Draft drawn in favor of DIRECTOR, MNNIT | | | | |
| Allahabad. | | Allahabad. | | | | |
| 6 | Earnest Money Deposit (EMD) | Rs. 26,000/- (Rs. In words Twenty six thousand | | | | |
| | | only), in form of FDR /Bank guarantee, from any | | | | |
| | | of the Commercial Banks, drawn in favour of | | | | |
| | | "Director, MNNIT Allahabad" payable at | | | | |
| | | Allahabad, and valid for a period of 45 days | | | | |
| | | beyond the final bid validity period | | | | |
| | | · | | | | |

To,

Dear Sir,

You are invited to submit your most competitive quotation for the following goods/equipments. The quotation should be sent directly to the undersigned under Sealed Cover marked "Quotation Reference No., Date", and "The Due Date:

| SI. No. | Brief Description of the Goods | Quantity | Place Of Delivery | Installation Requirement |
|------------|--|----------|----------------------|-----------------------------|
| 1. | Supply, Fixing & Installation Of Layer 2 Access Switch 24 Ports With 3 Years Comprehensive Warranty Preferable Make: CISCO or equivalent (Detailed Specifications attached at Annexure-B) | 08 Nos. | M.N.N.I.T. Allahabad | Yes |

The sealed tenders must be submitted in the Office of the Faculty In-charge (Purchase), on or before **September 02**, **2014 up to 16:00 hrs.**

The received tenders will be opened on **September 02**, **2014 up to 16:30 hrs.** in the office of the undersigned, in the presence of bidder's authorized representatives, who choose to attend and shall sign a register evidencing their attendance. The tender/quotations NOT submitted in the prescribed format or Incomplete in any respect will be outrightly rejected.

[1/6]

Faculty in-Charge, Purchase MNNIT Allahabad

GENERAL TERMS & CONDITION (GCC)

1. Bid Price

- (a) The contract shall be for the full quantity as described above. Corrections, if any, shall be made by crossing out, initialing, dating and rewriting.
- (b) All duties, taxes and other levies payable by the contractor under the contract shall be included in the total price.
- (c) The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- (d) The prices should be quoted in Indian Rupees only for indigenous items. For imported items/Equipments, the prices should be quoted in foreign currency.
- (e) Each bidder shall submit only one quotation.

2. Validity of Quotation

Quotation shall remain valid for a period not less than 120 days after the deadline date specified for submission.

3. Evaluation of Quotations

- (a) The purchaser will evaluate and compare the quotations determined to be substantially responsive, i.e., which
 - (i) are properly signed; and
- (ii) conform to the terms and conditions, and specifications.
- (iii) will be with tender fees, and EMD required, if any.
- (b) The Quotations would be evaluated separately for each item.

4. Award of Contract

The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.

- Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.
- The bidder whose bid is accepted will be notified for the award of contract by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order if falls under Govt. purchase rules, i.e., GFR-2005.

5. Formats and Signing of Bid

- Each & every pages of the submitted bid must carry the page numbers.
- The bidders are not allowed to make additional and alteration in the tender document, any additions and alteration in the tender document, any additions and alterations shall be at bidder's risk. Conditional/modified tender are liable to be rejected.
- The tender/quotations NOT submitted in the prescribed format or Incomplete in any respect will be outrightly rejected.
- If the bid submitted without compliance sheet details of equipments the bid will be outrightly rejected.
- The bid shall be typed or written in indelible ink and shall be signed by the Bidder/Tenderer or a person or
 persons duly authorized to bind the Bidder/Tenderer to the Contract. All pages of the bid, except for unamended
 printed literature, shall be initialed by the person or persons signing the bid.
- Any interlineations, erasure or overwriting shall be valid only if they are initiated by the persons or persons signing the bid.
- The Bidder shall furnish information as described in the Form of Bid on commissions or gratuities, if any, paid or to be paid to agents relating to this Bid, and to contract execution if the Bidder is awarded the contract.
- Payment condition: 100% Payment shall be made only after satisfactory delivery and installation of the goods.
 Advance payment is not permitted.
- Normal Commercial warranty/ guarantee shall be applicable to the supplied goods.
- 8. Payment will be cleared through e-payment mode (Format of e-payment form given at Annexure-E)

INSTRUCTIONS/GUIDELINES TO BIDDERS (ITB)

- 1. Bidders who had supplied the Government departments, PSUs/NITs/IITs and reputed Institutions and Organizations should only apply.
- 2. The bidder should enclose the cliental list with contact address along with Phone/Fax for reference, for the quoted item.
- 3. Please quote the prices of F.O.R. Motilal Nehru National Institute of Technology Allahabad, Allahabad.
- 4. The Bidders are requested to submit their Quotation with EMD in the form of Demand Draft/ Bank Guarantee/ Short term Deposit of the cost of equipments/items in favor of "The Director, MNNIT, Allahabad" payable at Allahabad. Quotation without EMD will be summarily rejected. EMD's of all Bidders will be returned back after the purchase order /contract agreement is issued to successful bidder.
- 5. Successful Bidders must have to submit the performance security @10% of the purchase order or contract value and it will be retained up to the warranty period.
- 6. The bidder should enclose relevant documents wherever necessary to substantiate his eligibility.
- 7. The Institute is eligible for and can provide necessary documentation for Custom/Excise and Octroi exemption on demand, if permitted under rule.
- 8. Motilal Nehru National Institute of Technology Allahabad, Allahabad, reserves the right to reject, accept any or whole or part of any of the tender without assigning any reason thereof and no claim will be heard. In case of dispute, the decision of The Director, MNNIT, and Allahabad will be final and binding.
- 9. If the successful bidder is not able to supply the goods items within the delivery date specified in the purchase order, the purchase order will be automatically treated as cancelled after expiry of delivery date period. The vendor will have to submit an undertaking in this regard that this condition is acceptable to him. In case of extra ordinary circumstances the vendors must send a request for extension of validity of purchase orders, with proper justification prior to the expiry of validity date for consideration.
- 10. In case of sophisticated equipments, an on-site training needs to be provided with no extra cost.
- 11. The quotation must be accompanied by leaflets/operation manuals/books etc.
- 12. Wherever applicable the vendors must quote the branded /desired items.

CHECK LIST

The Bid will be the compilation of following documents, along with required supporting documents. No document in support of minimum eligibility criteria will be accepted / entertained after opening of tender.

| SI. | Documents |
|-----|--|
| 1. | Cover letter by bidder (On the Letter Head of the Bidder) |
| 2. | Tender Fee |
| 3. | Earnest Money Deposit (EMD), if required |
| 4. | Cliental List for quoted item |
| 5. | Annexure-A: Bid Proposal Sheet (On the Letter Head of the Bidder) |
| 6. | Annexure-B: Technical Specifications of Equipment (On the Letter Head of the Bidder) |
| 7. | Annexure-C: Compliance of bidder with reference to Layer 2 Access Switch 24 Ports (On the Letter Head of the Bidder) |
| 8. | Annexure-D: PRICE BID (On the Letter Head of the Bidder) |
| 9. | Annexure-E: PROFORMA FOR DIRECT PAYMENT/TRANSFER TO BANK ACCOUNT BY MNNIT ALLAHABAD |

ANNEXURE-A

BID PROPOSAL SHEET (ON THE LETTER HEAD OF THE BIDDER)

То

Faculty In-charge (Purchase) MNNIT Allahabad, Allahabad

Subject: Supply and Installation of "Layer 2 Access Switch 24 Ports" at MNNIT Allahabad, Allahabad.

Dear Sir

We, the undersigned Tenderers, having read and examined in detail the specifications as specified in this document in respect of Supply and Installation of Equipments at MNNIT Allahabad, Allahabad do hereby propose to supply the required products and services.

| Tender No. | | | | |
|-----------------------|--------------|--|-------------------------|-------------------------|
| Tender Fees submitted | | YES / NO (Please strike off whatever is not applic | | ever is not applicable) |
| Amount | Mode | Date of Issue | Name of Bank | Valid up to |
| | Demand Draft | | | |
| EMD submitted | | YES / NO | (Please strike off what | ever is not applicable) |
| Amount | Mode | Date of Issue | Name of Bank | Valid up to |
| | Demand Draft | | | |

- (i) ADDITIONAL PURCHASE/WORK ORDER: We understand that the MNNIT Allahabad, Allahabad, in case of the requirements may also place repeat purchase order/work order on the company. In such cases, we shall accept and execute all the purchase/work order placed on us by MNNIT Allahabad, Allahabad.
- (ii) **BID PRICING:** We further declare that the prices stated in our proposal are in accordance with your Terms & Conditions in the bidding document. We further understand that the quantities as specified in this Tender may increase or decrease at the time of Award of Purchase Order as per the requirements of MNNIT Allahabad, Allahabad.
- (iii) **QUALIFYING DATA:** We confirm that we satisfy the qualifying criteria and have attached the requisite documents as documentary proofs. In case you require any further information/documentary proof in this regard during evaluation of our bid, we agree to furnish the same in time to your satisfaction.
- (iv) CONTRACT PERFORMANCE SECURITY: We hereby declare that in case the contract is awarded to us, we shall submit the performance Guarantee Bond in the form of Bank Guarantee for the amount of 10% of the total order value.
- (v) PAYMENT TERMS: We hereby declare that in case the contract is awarded to us, we agree with payment terms specified in the tender documents.
- (vi) CERTIFICATE AND DECLARATION:
 - a) I/We certify that no addition/modification/alteration has been made in the Original Tender Document. If at any stage addition /modification /alteration is noticed in the Original Document, I/We will abide by the terms and conditions contained in the original tender document, failing which MNNIT Allahabad reserves the right to reject the tender and/or cancel the contract
 - b) It has been certified that all information provided in tender form is true and correct to the best of my knowledge and belief. We hereby declare that our proposal is made in good faith, without collusion or fraud. No forged /tampered document(s) are produced with tender form for gaining unlawful advantage. We understand that MNNIT Allahabad is authorized to make enquiry to establish the facts claimed and obtained confidential reports from clients.
 - c) In case it is established that any information provided by us is false / misleading or in the circumstances where it is found that we have made any wrong claims. Further MNNIT Allahabad is also authorized to blacklist our firm/company/agency and debar us in participating in any tender/bid in future.
 - d) I / We assure the Institute that neither I /We, nor any of my /our workers, will do any act which is improper / illegal during the execution in case the tender is awarded to us.
 - e) I / We assure the Institute that I / We will NOT be outsourcing any work specified in the tender document, to any other firm.
 - f) Neither I / We, nor anybody on my /our behalf will indulge in any corrupt activities /practices in my /our dealing with the Institute.
 - g) Our Firm / Company / Agency is not been blacklisted or banned by any Govt. Department, PSU, University, Autonomous Institute or any other Govt. Organization.
 - h) I/We certify that, I have understood all the terms & conditions (GCC and ITB etc.), as indicated in enquiry of the tender document, and hereby accept all the same completely.
 - i) I/We, further certify that I/We, possess all the statutory /non-statutory registrations, permissions, approvals, etc., from the Competent Authority for providing the requisite services,
 -) We understand that you are not bound to accept the lowest or any bid you may receive.
 - k) I/We hereby declare that this tender on acceptance communicated by you shall constitute a valid and binding contract between us.
 - l) I/We certify that the submitted quotation is duly paginated and contains from page no. 1 to

Signature and Seal of the Manufacturer/Bidder

ANNEXURE-B

Technical Specifications of Layer 2 Access Switch 24 ports

| Technical Specifications of Layer 2 Access Switch 24 por S. No. Item Description | | | | | |
|---|--|--|--|--|--|
| S. No. | Make: Cisco or equivalent | | | | |
| C. I to. | Physical Specification | | | | |
| 1. | Should be rack mountable with 24-port 10/100/1000 Mbps ports and having an option of at least 4 SFP- based | | | | |
| | Gigabit Ethernet ports in addition to the Copper Ports | | | | |
| | General Specification | | | | |
| 1. | Switch with 176Gbps switching fabric with min 80Gbps of forwarding bandwidth | | | | |
| 2. | Min. 40 million packets per second forwarding rate on 64-byte packets | | | | |
| 3. | 8000 MAC address supported | | | | |
| 4. | 255 IGMP groups | | | | |
| 5. | Should support Redundant Power Supply | | | | |
| 6. | Should have USB console and flash | | | | |
| 7. | Should Support Ipv6 (ready to use) | | | | |
| 8. | Should Support Stacking and Redundant Power Source | | | | |
| 0. | Layer-2 Features | | | | |
| 1 | | | | | |
| 1. 2. | IEEE 802.1Q VLAN encapsulation. Up to 255 VLANs per switch and up to 4000 VLANIDs | | | | |
| 3. | Support for Automatic Negotiation of Trunking Protocol, to help minimize the configuration & errors | | | | |
| 3. | Centralized VLAN Management. VLANs created on the Core Switches should be propagated to all the other switches automatically, thus reducing the overhead of creating / modifying / deleting VLANs in all the switches in | | | | |
| | turn eliminating the configuration errors & troubleshooting. | | | | |
| 4. | Spanning-tree Port Fast for fast convergence | | | | |
| | 802.1d, 802.1p, 802.1Q, 802.1s, 802.1w, 802.1x, 802.1xREV, 802.1ab, 802.3ad, | | | | |
| <u>5.</u> | | | | | |
| 6. | Spanning-tree root guard to prevent other edge switches becoming the root bridge. | | | | |
| 7. | IGMP snooping v1, v2 and v3 | | | | |
| 8. | Link Aggregation Protocol (LACP) | | | | |
| 9. | Support for Detection of Unidirectional Links and to disable them to avoid problems such as spanning – tree loops | | | | |
| 10. | Should be able to discover the neighboring device of the same make giving the details about the platform, IP Address, Link connected through etc, thus helping in troubleshooting connectivity problems. | | | | |
| 11. | Support for Switch port auto recovery (err disable) to automatically re-enable a link that is disabled because of a network error. | | | | |
| 12. | Should support Multicast VLAN registration | | | | |
| 13. | Should support DHCP Server enabling a convenient deployment option for the assignment of IP addresses in networks that do not have a dedicated DHCP server. | | | | |
| 14. | Should support Local Proxy Address Resolution Protocol (ARP) works in conjunction with Private VLAN Edge minimize broadcasts and maximize available bandwidth | | | | |
| 15. | Should support LLDP and LLDP-MED including client location information. Should exchange link and device information in multivendor networks. | | | | |
| 16. | Should support configuration rollback to replace current configuration with any saved Configuration file. | | | | |
| 17. | Should support link state tracking which provides layer2 redundancy in the network when used in conjunction | | | | |
| | with server teaming. | | | | |
| | QoS Features | | | | |
| 1. | Standard 802.1p QoS and DSCP classification using marking and reclassification on a per-packet basis by source and destination IP address, source and destination MAC address, or Layer 4 TCP or UDP port number. | | | | |
| 2. | Control – and Data-plane QoS ACLs | | | | |
| 3. | No performance penalty for highly granular QoS functions | | | | |
| 4. | Four egress queues per port to enable differentiated management of up to four traffic types | | | | |
| 4. 5. | Weighted tail drop (WTD) to provide congestion avoidance | | | | |
| 6. | Strict priority queuing mechanisms | | | | |
| 7. | Rate limiting support based on source and destination IP address, source and destination MAC address, Layer | | | | |
| 1. | TCP and UDP information, or any combination of these fields, using QoS ACLs (IP ACLs or MAC ACLs), class | | | | |
| 0 | maps, and policy maps. Up to 64 aggregate or individual policers for per East Ethernet or Cigabit Ethernet port | | | | |
| 8. | Up to 64 aggregate or individual policers for per Fast Ethernet or Gigabit Ethernet port. | | | | |
| 9. | Support for Automatic Quality of Service for easy configuration of QoS features for critical applications Network security features | | | | |
| 1. | IEEE 802. 1x to allow dynamic, port-based security, providing user authentication | | | | |

ANNEXURE-C

| S. No. | Technical Compliance Sheet for Layer 2 Access Sv | Whether meet | |
|----------|---|--------------------------|------------------------------------|
| S. No. | Item Description | the requirement (Yes/No) | Quoted Models specifications |
| S. No. | Make: Cisco or equivalent | , | |
| | Physical Specification | | |
| 1. | Should be rack mountable with 24-port 10/100/1000 Mbps ports and having an option of at least 4 SFP- based Gigabit Ethernet ports in addition to the Copper Ports | | |
| | General Specification | | |
| 1. | Switch with 176Gbps switching fabric with min 80Gbps of forwarding bandwidth | | |
| 2. | Min. 40 million packets per second forwarding rate on 64-byte packets | | |
| 3. | 8000 MAC address supported | | |
| 4. | 255 IGMP groups | | |
| 5. 6. | Should support Redundant Power Supply Should have USB console and flash | | |
| 7. | Should Support Ipv6 (ready to use) | | |
| 8. | Should Support Stacking and Redundant Power Source | | |
| <u> </u> | Layer-2 Features | | |
| 1. | IEEE 802.1Q VLAN encapsulation. Up to 255 VLANs per switch and up to 4000 VLANIDs | | |
| 2. | Support for Automatic Negotiation of Trunking Protocol, to help minimize the configuration & errors | | |
| 3. | Centralized VLAN Management. VLANs created on the Core Switches should be propagated to all the other switches automatically, thus reducing the overhead of creating / modifying / deleting VLANs in all the switches in turn eliminating the | | |
| 1 | configuration errors & troubleshooting. Spanning-tree Port Fast for fast convergence | | |
| 4. 5. | 802.1d, 802.1p, 802.1Q, 802.1s, 802.1w, 802.1x, 802.1xREV, 802.1ab, 802.3ad, | | |
| 6. | Spanning-tree root guard to prevent other edge switches becoming the root bridge. | | |
| 7. | IGMP snooping v1, v2 and v3 | | |
| 8. | Link Aggregation Protocol (LACP) | | |
| 9. | Support for Detection of Unidirectional Links and to disable them to avoid problems such as spanning – tree loops | | |
| 10. | Should be able to discover the neighboring device of the same make giving the details about the platform, IP Address, Link connected through etc, thus helping in troubleshooting connectivity problems. | | |
| 11. | Support for Switch port auto recovery (err disable) to automatically re-enable a link that is disabled because of a network error. | | |
| 12. | Should support Multicast VLAN registration | | |
| 13. | Should support DHCP Server enabling a convenient deployment option for the assignment of IP addresses in networks that do not have a dedicated DHCP server. | | |
| 14. | Should support Local Proxy Address Resolution Protocol (ARP) works in conjunction with Private VLAN Edge to minimize broadcasts and maximize available bandwidth | | |
| 15. | Should support LLDP and LLDP-MED including client location information. Should exchange link and device information in multivendor networks. | | |
| 16. | Should support configuration rollback to replace current configuration with any saved Configuration file. | | |
| 17. | Should support link state tracking which provides layer2 redundancy in the network when used in conjunction with server teaming. | | |
| | QoS Features | | |
| 1. | Standard 802.1p QoS and DSCP classification using marking and reclassification on a per-packet basis by source and destination IP address, source and destination MAC address, or Layer 4 TCP or UDP port number. | | |
| 2. | Control – and Data-plane QoS ACLs | | |
| 3. | No performance penalty for highly granular QoS functions | | |
| 4. | Four egress queues per port to enable differentiated management of up to four traffic types | | |
| 5. | Weighted tail drop (WTD) to provide congestion avoidance |] | |
| 6. 7. | Strict priority queuing mechanisms Rate limiting support based on source and destination IP address, source and | | |
| | destination MAC address, Layer 4 TCP and UDP information, or any combination of these fields, using QoS ACLs (IP ACLs or MAC ACLs), class maps, and policy maps. | | |
| 8. | Up to 64 aggregate or individual policers for per Fast Ethernet or Gigabit Ethernet port. | | |
| 9. | Support for Automatic Quality of Service for easy configuration of QoS features for critical applications | | |
| 1. | Network security features IEEE 802. 1x to allow dynamic, port-based security, providing user authentication | | |

PRICE BID

| SI. No. | BRIEF DESCRIPTION OF THE GOODS | QTY. | Quoted Unit | Total Amount (in Rs.) | |
|---------|---|---------|--------------|-----------------------|---------|
| 31. NO. | BRIEF DESCRIPTION OF THE GOODS | QII. | Rate (in Rs) | In Figures | In Word |
| 1. | Supply, Fixing & Installation Of Layer 2 Access | 08 Nos. | | | |
| | Switch 24 Ports With 3 Years Comprehensive | | | | |
| | Warranty | | | | |
| | Preferable Make: CISCO or equivalent | | | | |
| | • | | | | |
| | | | | | |
| | Quoted Make : Model | | | | |

| We agree to supply the above goods in accordance with the technical spec | ifications for a total contract price of | within the |
|--|--|------------|
| period specified in the Invitation for Quotations. | | |
| We also confirm that the normal commercial warrantee/quarantee of | months shall apply to the offered goods. | |

Signature and Seal of the Manufacturer/Bidder

Note:

- 1. Preference will be given to ISO 9001-2000 certified manufacture/supplier, who can ensure the manufacturing of the machine as per the required testing standards/tender specifications within the specified tolerance limit.
- 2. Bidders should provide copies of original Memorandum and Articles of Association, defining the constitution of legal status, place of registration and place of business of the company.

ANNEXURE-E

PROFORMA FOR DIRECT PAYMENT/TRANSFER TO BANK ACCOUNT BY MNNIT ALLAHABAD

| SI. No. | Particulars | Information |
|---------|---|-------------|
| 1. | Firm [Beneficiary] Name | |
| 2. | Code No. allotted by the MNNIT Allahabad [If code is not allotted yet, please enclose a cancelled cheque and copy of PAN card. Cancelled cheque & PAN card is to be submitted only once] | |
| 3. | Complete Bank Account No. of the Firm [beneficiary]. [in case of change in bank account vendor should write to Account Office] | |
| 4. | Bank Name | |
| 5. | Branch Address | |
| 6. | IFSC Code No. | |
| 7. | Permanent Account Number | |
| 8. | Mobile No. [for SMS] | |
| 9. | Email ID [for information] | |

We undertake that all information provided above is correct and MNNIT Allahabad will not be responsible in case of any error on the part of firm.

[Seal and Signature of the firm]